CICN()

DONGGUANCICNO LEATHER CO.,LTD





Founded in 2007, Cigno leather is a professional manufacturer specialized in highly-quality faux leather China
Our main products include Vegan leather, recycled leather, PUevevg kidsof PVC and Micvofber leathe etc

DONGGUAN BOZE LEATHER CO,LTD

Add: 13/F, Shuershang Business Building, Cuiyuan North Road, Hetian, Houjie Town,

Dongguan, Guangdong, China

Tel:+86-769-85895899 Fax:+86-769-85893533 Postal Code: 523945


E-mail:info@bozeleather.com

www.bozeleather.com

CONTENTS

BUSINESS ALBUM INTRODUCTION PRODUCT DISPLAY **ABOUT US**

CICN()



BUSINESS ALBUM

Physical properties: super cold resistance, acid resistance, hydrolysis resistance, light weight, breathable aging resistance. Tearresistant, wear resistant, tensile strength.

CICNO Flame resistance is working, USA standard (FMVSS 302) UK standard(BS5852) and Australia standatd(AS1530)etclt can make sure won't be hurt yourself once your car get fire

BUSINESS ALBUM

Striving is the foundation, talents are the first, service is the highest, and innovation is the courage!















Raw materials

Preparation of materials

Production line

Lab Test Room

66

Leather introduction

Let our products Appear on all occasions as you like

Micro fiber learher is the abbreviation of microfiber PUsvnthetic leather-is a non-woven fabric of microfiber staplefher made into three-dimensional structure network through combing needle, and then through wet processPU tree ester containing immer-sion.alkali reduction, skin dveing and finishing process.and finally made into microfiber leather.ls in the PU polvurtha eadded microfiber, make the toughness and air permeability, wear-resistance has been further strengthened, is a new development of high-grade leather, helongs to a new type ofeather material, Has become the most ideal choice to replace the naturalleather, Microfiber is mainly divided into two categories: PU microfiber and microfber suede. Its thickness, color, surface effect and physical properties can be customized

Physical properties: super cold resistance, acid resistance, hydrolysis resistance, light weight, breathable aging resistance. Tear resistant, wear resistant, tensile strength.

Chemical properties : does not contain heavy metals. azo AZO and other harmful substances to human body It isa safe and en vironmentally friendly green product.

Application felds of microfiber learher

Microfber because of its easy to cut, high utilization rate, easy to clean, environmental protection no odor. etc, iits widely usedin shoes, bags, gloves, sofa furniture, car accessories, clothing, packaging, sporting goods, elec-tronic and digital industry.

CICNO

Founded in 2007, Cigno leather is a professional manufacture specialized in highly-quality faux leather in Dongguan China, our main products include

Vegan leather, recycled leather, PVC leather and microfiber leather use for furniture,

automotive, cloth, handbags and shoes.

experience in faux leather

supplying since 2007

"Why choose us?,

(Limited to some country)

2007 Completed certificate includes USDA/GRS/ REACH/CE/ISO/RoHS Famous brands cooperation, such as DIOR,CAOCH,CK

Free sample, free mold opening and shipping

LC and OA can be accepted

PU microfiber Leather







PU Microfiberleather is made on the basis of microfiber. coated with PU coating. The PU coating process canmake a lot of diferentpatterns, colors and surface effects.

The advantages of PU microfber are chemical resistance, wrinkle resistance, wear resistance, processing adaptabilitand quality are outstanding

- . The folding fastness can be compared with natural leather, Normal temperature bending reached 200,000 times without crack low temperature bending 30,000 times without crack.
- 2.with a moderate elongation ratio.
- 3, with higher tear strength and dissection strength.
- 4, non-toxic, environmental protection, tasteless! From production to use will not have any pollution.environmental protection performance is superior.
- 5resistant to hydrolvsis and sweat stains
- 6, waterproof, anti-pollution ability.
- 7.long service life,up to 8-10 years.

PU microfiber leather is divided into oiy-borne and water-bome mateid Water-borne microfber leather is mostly used in home sofa, bed, cabinet coating, scratch-resistant, en-vironmental protectionand odorless.0 armor, 0 toluene.leather texture.

Leather color card







Microfiber leather for cam

					NAME AND ADDRESS OF TAXABLE PARTY.
					THE RESERVE OF THE PARTY OF THE
					THE RESERVE OF THE PARTY OF THE
					And State Control of the Control of
				A STATE OF THE PARTY OF THE PAR	
			SWINDS OF THE PROPERTY OF THE		
			HOLLES OF THE TAX BELLEVILLE OF THE PARTY OF		
		2000年1月1日 - 1000年1月1日 - 1000年1月 - 1			
					The state of the s
					CHARLES TO THE PARTY OF THE PAR
					The second second
					C TO A STATE OF THE PARTY OF TH
				Control of the second of the s	A STATE OF THE PARTY OF THE PAR
					TO CHARLES SELECT AND ACCOUNTS
				进口的一块。 11	
			The state of the s		
					A SECOND STATE OF THE SECO
以下的"这么可以可以可以是是一种的"一种"。					
		THE RESERVE OF THE PARTY OF THE			CONTRACTOR OF THE PROPERTY OF THE PARTY OF T
					THE RESERVE TO SERVE THE PARTY OF THE PARTY
		TO THE RESERVE OF THE PARTY OF			Sales and the sales are sales and the sales are sales and the sales are sales are sales are sales are sales are
					A STATE OF THE PARTY OF THE PAR
				CONTRACTOR OF THE PROPERTY OF	
					THE STATE OF THE S
	THE RESERVE OF THE PERSON OF T				NAME OF THE OWNER OWNER OF THE OWNER
					THE RESIDENCE OF THE PARTY OF T
					AND THE RESERVE OF THE PARTY OF
					STATE OF THE PARTY
				THE RESERVE OF THE PARTY OF THE	

Anabapi Series



Nappa PU Microfiber learher































PU Microfiber learher for cover series















Pinhole pattern series

Mercedes-Benz Pattern Series

BMW Series

Imported suede

Water-based cashmere















True Ultra Series












vein lines (in marble or fingerprint)







Microfiber leather can be perforated with different techniques



Different surface finishing PU Microfiber leatehr

Microfber Suede leather



Microfber suede leather is now a more popular microfiber in the microfiber classification, The main characteristics arehis high softness, light quality, good sense of velvet, comfortable feel, by the shoe materials and furniture and other industries love

Microfber suede leather is a kind of high and new technology simulation leather product. It cambe divided intotwo kinds: fixed and indefinite island. Compared with the fixed island microfiber, it will have a more stable performance, and the color fastness will be much higher. More suitable for the application field of quality require-ments.

Microfiber suede leather is one of the most popular types in the microfiber classification nowadays. Becauseof the highsoftness. light auality and other characteristics, by the shoe materials and furniture andother industries love

Microfiber suede leather can be made with single-sided or two-sided. Single-sided velvet refers to the microfiber velvet forsingle laver use, suitable for shoes and home decoration industry. two-sided velvet is double-sided use, suitablefor clothing and bag decoration.

博泽皮革 (东莞) 有限公司 物性检测报告 (Nappa, Pinhole)

NO#	TEST ITEM/檢測項目		TEST RESULT/測試結果	TEST METHODS/測試方法		
1	剝離			5kg/3cm	贴合熱熔膠/燙斗燙	
2	10%Na0H/24hour			下降30%内	100℃±2℃烤2h,,再 測剝離	
3	叢林測試			下降30%内	放35天(溫度70℃/濕 度95%)	
4 Wea		水/watet		≥4		
	摩擦褪色PU面	酒精/alcohol		≥4	QB/T 2537	
	Wear-resisting fade	人工汗液/synthetic perspiration		≥4		
5 f		Wester / out aims !	于/Dry	150000cycles		
		常温/original	濕/Wet	5000cyles		
	耐曲折 flexibility	耐寒/cold	低溫 Low tempert ure	-10°C±2°C 80000cycles, noracking of the surface finish	QB/T 2714	
6	耐煙 Taber Abrasion(Rating)			Normal ≥ 4 (1000g/2500cycles)	QB/T 2726	
7				After Xenon≥4 (1000g/2000cycles)	QB/T 2726	
8	爆破Breaking Strength(N)	without perforation沒有穿 孔		≧ 350	TB/T 2717	
9	軟硬度 Stiffness BLC diameter=25mm(mm)			≥ 3. 5	ISO 17235	
10	厚度Thickness Range(mm)			1.2±0.2	GB/T 8948-2008 5.4 Average	
11	色牢度/Resistance to Fade(Rating)			≥3	QB/T 2727	
12	低毒 (八大重金屬) /Eight heavy metals			No spots .No loops	歐盟環保	
13	DMF					
14	表面/Surface				TB, T 8948 5. 19	